


OxxiUS

Simply Light

LaserBoxx HPE series

High Power Lasers



Fluorescence Microscopy
Optogenetics
Illumination
High-throughput inspection
Polymer curing
Laser pumping
Lithography
Additive manufacturing

The *LaserBoxx* HPE series are high power laser sources offering excellent performance and reliability in a compact laser head with integrated electronics.

The optical output is a multimode elliptical beam, either propagating in free space or injected into an optical fiber.

Key features

- Laser head with integrated driver
- Elliptical collimated beam
- Multimode fiber coupling option
- Analog modulation function
- USB, RS232 and analog interfaces
- Industry standard footprint


Fiber coupling

This option offers a cost-effective and compact way to couple the *LaserBoxx* beam into a multimode fiber.

The standard models feature:

- coupling efficiency exceeding 80 %
- round or square core 50 to 200 μm size
- FC / APC delivery connector
- 0.22 numerical aperture
- 2-meter fiber length

Other configurations are available on request.




LBX-488-1000-HPE coupled into a multimode fiber

Custom capabilities

- *LaserBoxx* HPE sources combined into a *L4Cc* or *L6Cc* wavelength combiner
- Speckle reducer option
- Square or hexagonal-shaped fibers, liquid light guide
- Beam-shaping optics




L6Cc-HPE combiner with fiber delivery




Customized collimator (option)

Performances

Power distribution
out of a square-core fiber
(LBX-488-1000-HPE)



Modulated output;
5 μs pulses at
100 kHz repetition rate
(LBX-405-1200-HPE)




Specifications

	Emission wavelength (tolerance)	Linewidth (-3dB)	Power stability over 8h and ± 3 K	Output power continuous wave	Beam dimensions (typ.)	Analog modulation function 0-5V input voltage		Multimode fiber coupling option		Supply voltage	
						Bandwidth -3 dB cut-off frequency, ACC	Rise / Fall time 10-90%, ACC	Delivered power	Fiber core diameter		
LBX-375	375 nm (± 5 nm)	≤ 5 nm 2 nm typical	$\pm 1\%$	200, 400 mW	3.0 x 1.4 mm	0 Hz - 1 MHz	≤ 300 ns	160, 320 mW	50 μ m or larger	5 - 12 VDC	
LBX-395	395 nm (-10/+5 nm)			270 mW	2.5 x 0.8 mm			215 mW			
LBX-405	405 nm (± 5 nm)			900, 1200 mW	2.6 x 1.2 mm			720, 960 mW			
LBX-450	450 nm (± 10 nm)			650, 1200 mW	2.6 x 0.7 mm			500, 950 mW			
LBX-473	473 nm (± 5 nm)			1000 mW	2.6 x 1.2 mm			800 mW			
LBX-488	488 nm (± 5 nm)			1000 mW	2.2 x 1.2 mm			800 mW			
LBX-520	520 nm (± 10 nm)			800 mW	2.7 x 0.8 mm			600 mW		9 - 12 VDC	
LBX-638	638 nm (± 10 nm)			1100 mW	4.5 x 4.5 mm			750 mW			
LBX-750	750 nm (± 5 nm)			1200 mW	1.9 x 3.8 mm			950 mW			
LBX-785	785 nm (± 5 nm)			800 mW	3.8 x 1.9 mm			640 mW			200 μ m or larger
LBX-830	830 nm (± 5 nm)			1200 mW	5.2 x 2.6 mm			960 mW			
LBX-940	940 nm (± 10 nm)			600 mW	1.9 x 3.8 mm			450 mW			
LBX-980	980 nm (± 10 nm)			1000 mW	3.5 x 1.5 mm			800 mW		105 μ m or larger	


Plug and Play, CDRH-compliant version

Laser head with manual shutter




Dimensions in mm

ControlBoxx controller



HTSK-7 heatsink (option)

For improved stability and heat management



	Plug and Play version	OEM version
Compliance	CE, including EN 60825-1:2014 FDA 21 CFR 1040.10/1040.11	FDA 21 CFR 1040.10 / 1040.11
Operating temperature	10 - 38°C ambient air with optional heat sink	10 - 50°C baseplate
Power consumption	10W typ. / 25W max.	
Storage temperature	0 to 60°C	
Supply voltage	100 to 240 VAC external power supply included	see «Specifications» above
Warm-up time	≤ 2 minutes	
Interfaces	USB, RS-232, dedicated electronic interface	





Our distributors

AUSTRALIA

Lastek Pty Ltd
Thebarton campus, University of Adelaide
10 Reid Street Thebarton SA 5031
Phone: (+61) 8 8443 8668
E-mail: jessica@lastek.com.au
Web: www.lastek.com.au

BRAZIL

Setup Instruments4Labs
Rua Acadêmico Hélio Ramos, 60, Várzea,
Recife-PE 50.740-533
Phone: (+55) (81) 3183-4342
Web: www.lsetup4labs.com.br/lp/analiseoptica

CHINA

Aunion Tech Co., Ltd
Room 905, F building, Everbright
convention and exhibition centre,
No. 86 CaoBao road, ShangHai 200235
Phone: (+86) 21 5108 3793
E-mail: info@auniontech.com
Web: www.auniontech.com

GERMANY

Mountain Photonics GmbH
Albert-Einstein-Str. 18
D-86899 Landsberg am Lech
Phone: (+49) (0) 8191 985199 0
E-mail: infomphotonics.de
Web: www.mountainphotonics.de

INDIA

Dynotech Instruments pvc ltd
803-804, Vishwasadan, Distt Center
Janakpuri, New Delhi-110058
E-mail: sales@dynotechmail.in
Web: www.dynotech.in

Specialise Instruments
1201, DS Business Galleria,
L.B.S Road, Kanjurmarg (W),
Mumbai-400078, Maharashtra
Phone: (+91) 022-68551200
Email : info@simc.co.in
Web: <https://simc.co.in>

ISRAEL

Rosh Electroptics
P.O.B 2667 Netanya 4212601
Phone: (+972) (0)9-8627401
E-mail: info@roshelop.co.il
Web: www.roshelop.co.il

ITALY

OPTOPRIM s.r.l
-Via Rota, 37,20900 Monza (MB)
Phone: (+39) 039 834977
- Via Monte Giberto, 15, 00138 Roma
Phone: (+39) 06 87657838
E-mail: info@optoprim.it
Web: www.optoprim.it

JAPAN

Autex
Shinjuku Takasago Bldg.
4F, 16-5 Tomihisa-Cho,
Shinjuku-Ku, Tokyo 162-0067
Phone: (+81) 3 322 66321
E-mail: sales32@autex-inc.co.jp
Web: www.autex-inc.co.jp

KOREA

L2K Co., Ltd.
A-305, 289-1 Daehwa-dong
Daedeok-gu Daejeon 306-754
Phone: (+82) 42 670 7744
E-mail: sales@l2k.kr
Web: www.l2k.kr

SPAIN & PORTUGAL

IberOptics Sistemas Ópticos, S.L
C/ Camino de Hormigueras, 124-4, 3º I
E-28031 Madrid
Phone: (+34) 91 3854 395
E-mail: info@iberoptics.com
Web: www.iberoptics.com

SINGAPORE

Acexon Technologies Pte Ltd
21 Bukit Batok Crescent
#20-83 WCEGA Tower, Singapore
Phone: 65-65657300
E-mail: sales@acexon.com
Web: www.acexontech.com

TAIWAN

Bio Accord
No. 142-2 Jiu-Kwang Rd
Panchiao, Taipei county (220)
Phone: (+886) 2 2250 5019
E-mail: biotal@ms37.hinet.net
Web: www.bioaccord.com.tw

UNITED KINGDOM

Photonic Solutions Ltd
Unit 2.2 Quantum Court
Heriot-Watt University Research Park
Edinburgh, EH14 4AP
Phone: (+44) (0)131 664 8122
E-mail: sales@photronicsolutions.co.uk
Web: www.photronicsolutions.co.uk

USA

RPMC Lasers, Inc.
203 Joseph Street
O'Fallon, MO-63366
Phone: (636) 272 7227
E-mail: rpmc@rpmclasers.com
Web: www.rpmclasers.com

VIETNAM

Atek Vietnam Co., Ltd
6th Floor, Viet Asia Building,
9 Duy Tan Street,
Dich Vong Hau Ward,
Cau Giay District, Hanoi City
Phone : (+84) - 4 - 2120.3666
E-mail : thanh.nt@atekvietnam.com
Web : www.atekvietnam.com

OxxiUS
Simply Light

OXXIUS SA
4 rue Louis de Broglie - 22300, Lannion, France
Phone: +33 296 48 70 28
E-mail: sales@oxxius.com
www.oxxius.com

